


Anhui Evershen Photoelectric Technology Co., Ltd. Address:7 #, Innovation Park, Dangtu Economic Development Zone, Maan Shan City, Anhui Province

TEL:+86-555-6067000

FAX:+86-555-6067600

Http: www.evershen.com

DATA SHEET
ESLNO: HSL-R5032LPGC004
CUS NO. :
REV: <u>A/0</u>
Producer : Auditor : Approver :
CUSTOMER'S APPROVAL : DCC :





HSL-R5032LPGC004

REV:A/0

FEATURES

- * 5.0mm ROTUNDITY LED Lamp
- * Low power consumption
- * I.C. Compatible
- * Long life solid state reliability
- * PB Free products (Compliant with EU's RoHS)

CHIP MATERIALS

- * Dice Material :GalnN&GaN
- * Light Color :Ultra Green
- * Lens Color : Water Clear

ABSOLUTE MAXIMUM RATING : (Ta = 25° C)

Symbol	Parameter	Rated	Unit
Pad	Power Dissipation Per Chip	100	mW
Vr	Reverse Voltage Per Chip	5	V
laf	Continuous Forward Current Per Chip	30	mA
IPF	Peak Forward Current Per Chip (Duty-0.1,1KHz)	120	mA
_	Derating Linear From 25℃ Per Chip	0.4	mA/℃
Topr	Operating Temperature Range	-25℃ to 85℃	
Tstg	Storage Temperature Range	-40℃ to 85℃	

ELECTRO-OPTICAL CHARACTERISTICS : (Ta = 25° C)

SYMBOL	PARAMETER	TEST CONDITION	MIN.	TYP.	MAX.	UNIT
VF	Forward Voltage	IF = 20mA	2.8	3.1	3.3	V
IR	Reverse Current	VR = 5V			10	μA
λD	Dominant Wavelength	IF = 20mA		522		nm
$\Box\lambda$	Spectral Line Half-Width	IF = 20mA		20		nm
201/2	Half Intensity Angle	IF = 20mA		15		deg
Iv	Luminous Intensity	IF = 20mA		16000		mcd


DRAWING NO. : DS-23-15-0073

DATE : 2015-02-02



HSL-R5032LPGC004

REV:A/0





HSL-R5032LPGC004

REV:A/0


SOLDERING

•30LDERIN	ت	
METHOD	SOLDERING CONDITIONS	REMARK
DIP SOLDERING	Bath temperature: 260□ Immersion time: with 5 sec ,1times	 Solder no closer than 3mm from the base of the package Using soldering flux," RESIN FLUX" is recommended.
SOLDERING	Soldering iron: 30W or smaller Temperature at tip of iron: 400□ or lower Soldering time: within 3 sec.	transferred directly to the lead, hold the lead with a pair of tweezers while soldering
-	-	package is fixed with a panel (See Fig.1)
	t to stress the leads with iron tip.	
	PCB	JIG
	Fig.1	
2) When solderi	ng wire to the lead, work with a jig (See F	Fig.2) to avoid stressing the package.
		PCB —— JIG
	Fig.2	
S S	on in the tinning oven for product-tinning, r is proposed with the temperature of Ce	•

er and sliver is proposed with the temperature of Celsius 260. The proportion of the alloyed solution is tin 95.5: copper 3.5: silver 0.5 by percentage. The time of tinning is constantly 3 seconds.

DRAWING NO. : DS-23-15-0073

DATE : 2015-02-02



- preserve the soldering conditions with irons stated above: select a best-suited method that assures the least stress to the LED.
- Lead cutting after soldering should be performed only after the LED temperature has returned to normal temperature.

STORAGE


- The LEDs should be stored at 30□ or less and 70% RH or less after being shipped from Evershen and the storage life limit is 1 year.
- 2) Evershen LED lead frames are comprised of a stannum plated iron alloy. The silver surface may be affected by environments which contain corrosive gases and so on. Please avoid conditions which may cause the LEDs to corrode, tarnish or discolor. This corrosion or discoloration may cause difficulty during soldering operations. It is recommended that the LEDs be used as soon as possible.
- Please avoid rapid transitions in ambient temperature, especially, in high humidity environments where condensation can occur.

HSL-R5032LPGC004

REV:A/0

•LED MOUNTING METHOD

4) When mounting the LED by using a case, as shown Fig.4, ensure that the mounting holds on the PC board match the pitch of the leads correctly-tolerance of dimensions of the respective components including the LED should be taken into account especially when designing the case, PC board, etc. to prevent pitch misalignment between the leads and board holes, the diameter of the board holes should be slightly larger than the size of the lead. Alternatively, the shape of the holes should be made oval. (See Fig.4)



5) Use LEDs with stand-off (Fig.5) or the tube or spacer made of resin (Fig.6) to position the LEDs.





Fig.5



DRAWING NO. : DS-23-15-0073

DATE : 2015-02-02




HSL-R5032LPGC004


REV:A/0

•FORMED LEAD

 The lead should be bent at a point located at least 2mm away from the package. Bending should be performed with base fixed means of a jig or pliers (Fig.7)




- ② Forming lead should be carried our prior to soldering and never during or after soldering.
- ③ Form the lead to ensure alignment between the leads and the hole on board, so that stress against the LED is prevented. (Fig.8)



•LEAD STRENGTH

1) Bend strength

Do not bend the lead more than twice. (Fig.9)



DRAWING NO. : DS-23-15-0073

DATE : 2015-02-02



HSL-R5032LPGC004

REV:A/0

Tensile strength (@Room Temperature)
 If the force is 1kg or less, there will be no problem. (Fig.10)



• HEAT GENERATION

 Thermal design of the end product is of paramount importance. Please consider the heat generation of the LED when making the system design. The coefficient of temperature increase per input electric power is affected by the thermal resistance of the circuit board and density of LED placement on the board, as well as other components. It is necessary to avoid intense heat generation and operate within the maximum ratings given in this specification.

The operating current should be decided after considering the ambient maximum temperature of LEDs.

•CHEMICAL RESISTANCE

- 1) Avoid exposure to chemicals as it may attack the LED surface and cause discoloration.
- 2) When washing is required, refer to the following table for the proper chemical to be sued.
 - (Immersion time: within 3 minutes at room temperature.)

SOLVENT	ADAPTABILITY		
Freon TE			
Chlorothene			
Isopropyl Alcohol			
Thinner			
Acetone			
Trichloroethylene			
□I leable □Do not use			

□--Usable □--Do not use.

NOTE: Influences of ultrasonic cleaning of the LED resin body differ depending on such factors as the oscillator output, size of the PC board and the way in which the LED is mounted.

Therefore, ultrasonic cleaning should only be performed after confirming there is no problem by conducting a test under practical.

DATE : 2015-02-02



HSL-R5032LPGC004

REV:A/0

OTHERS

- ① Care must be taken to ensure that the reverse voltage will not exceed the absolute maximum rating when using the LEDs with matrix drive.
- ② Flashing lights have been known to cause discomfort in people; you can prevent this by taking precautions during use. Also, people should be cautious when using equipment that has had LEDs incorporated into it.
- ③ The LEDs described in this brochure are intended to be used for ordinary electronic equipment (such as office equipment, communications equipment, measurement instruments and household appliances). Consult Evershen's sales staff in advance for information on the applications in which exceptional quality and reliability are required, particularly when the failure or malfunction of the LEDs may directly jeopardize life or health (such as for airplanes, aerospace, submersible repeaters, nuclear reactor control systems, automobiles, traffic control equipment, life support systems and safety devices).
- ④ User shall not reverse engineer by disassembling or analysis of the LEDs without having prior written consent from Evershen. When defective LEDs are found, the User shall inform Evershen directly before disassembling or analysis.
- 5 The formal specifications must be exchanged and signed by both parties before large volume purchase begins.
- 6 The appearance and specifications of the product may be modified for improvement without notice.